

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"7130904".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/24 13:48
S2	5	10/057566	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 19:08
S3	34	("20020027906" "20020091795" "20020163920" "20020199021" "20040111520" "6003137" "6035105" "6035405" "6047325" "6085238" "6181699" "6414956" "6639901" "6728249" "6917614").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:44
S4	0	S3 AND BSS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 13:09
S5	0	S3 AND "BSS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 13:09
S6	0	S3 AND "AP"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 13:09
S7	3	S3 AND "access point"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 13:43
S8	22	S3 AND "VLAN"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 17:17

S9	74	virtual adj basic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 17:17
S10	2	S9 AND ((Basic adj service) adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 17:19
S11	1336	((Basic adj service)adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:45
S12	1343	((Basic adj service)adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 15:31
S13	852	S12 AND WLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:40
S14	806	S13 AND ((access ADJ point) OR AP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:41
S15	184	S14 AND virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 09:41
S16	39	S15 AND ((virtual ADJ LAN) OR VLAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:09
S17	15	S16 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:47
S18	751	380/270.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:45

S19	16	S18 AND ((Basic adj service) adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:46
S20	0	S19 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:07
S21	69	((virtual ADJ LAN) OR VLAN) AND ((basic ADJ service) ADJ set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 12:38
S22	19	S21 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 13:59
S23	2	"7130904".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 13:50
S24	2	"20040141617".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 09:31
S25	4	S21 AND PDU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 12:38
S26	1	"7151762".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 13:51
S27	1	S22 AND ((encryption OR encrypt) AND (authenticate OR authentication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 14:01
S28	338	S12 AND (TSF OR DCF OR PCF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:49

S29	15	(TSF AND DCF AND PCF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 15:33
S30	215	S12 AND "network allocation vector"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:21
S31	17	S30 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:29
S32	117	S12 AND (NAV AND PCF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 16:49
S33	10	S32 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:25
S34	96	S15 AND (beacon WITH frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:39
S35	36	S34 AND (frame NEAR2 (content OR format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:29
S36	3	S35 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:29
S37	18	S34 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 19:40
S38	2	"20050075107".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 13:43

S39	2	"7185362".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 13:46
S40	2	"20040162071".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 13:48
S41	2	"20050097624".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 13:50
S42	2	"20040229629".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 13:52
S43	1	11/138039	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 13:52
S44	2	"6317438".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 09:36
S45	2	"6304575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 09:41
S46	2	"6302194".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 09:41
S47	2	"6032194".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 09:48
S48	6	"6085238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 10:02

S49	2	"6311276".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 10:04
S50	598	(class\$3 ADJ ("BSSID" OR basic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 10:17
S51	2	"7188364".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 11:12
S52	2	"7130904".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 12:23
S53	36	(class\$2 NEAR3 ("BSS" OR "basic service set"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 12:35
S54	11	S53 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 12:35
S55	43	(class\$4 NEAR3 ("BSS" OR "basic service set"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 12:35
S56	12	S55 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:55
S57	204	((class-1 OR class-2 OR "class one" OR "class two" OR "class 1" OR "class 2" OR "class-one" OR "class-two" OR "class-3" OR "class three" OR "class 3" OR "class-three") NEAR3 ("BSS" OR virtual OR basic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 12:45
S58	141	S57 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:46

S59	24830	("802.11" AND (state "1" or state S44))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:49
S60	5951	S59 AND virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:48
S61	24830	("802.11" AND (state "1" or state S44 OR "state 3"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:53
S62	2	S61 AND (virtual ADJ ("BSS" OR "basic service set"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:55
S63	297	("802.11" AND ("state 1" or "state 2" OR "state 3"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:54
S64	1	S63 AND (virtual ADJ ("BSS" OR "basic service set"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 13:55
S65	31	S63 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 15:31
S66	6	"6085238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 15:32
S67	6	"6085238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/24 17:09
S68	2	"6847620".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/24 18:42

S69	2	"20040141617".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/24 18:44
S70	80	fine ADJ bridg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/24 18:45
S71	70	S70 AND @ad<="20040109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/24 18:45
S72	141	create WITH ("BSS" OR "basic service set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 12:25
S73	38	S72 AND @ad<="20020125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 13:17
S74	6	(VLAN AND authentica\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 10:49
S75	77	(VLAN AND (association ADJ request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 10:52
S76	2	S75 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 10:52
S77	1690	(("access point" OR "AP") AND SSID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 15:20
S78	236	S77 AND (association ADJ request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 15:22

S79	6	S78 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 15:22
S80	2	10/754402	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 17:23
S81	2	"20010048744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 17:30
S82	2	"7130904".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 19:28
S83	1	11/814703	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/14 18:33
S84	1	11/841703	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/14 18:33
S85	1	11/841703	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/18 22:02
S86	2	10/754402	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/27 18:58
S87	29377	((authenticat\$3 AND encrypt \$3) WITH (key OR code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 12:27
S88	6883	S87 AND ((security OR group) NEAR5 associat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 12:29

S89	222	S88 AND ((virtual ADJ LAN) OR VLAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 12:30
S90	37	S89 AND (((Basic adj service) adj set) OR "BSS")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 12:32
S91	0	S90 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 12:32
S92	12	S89 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 12:33
S93	14549	((virtual ADJ LAN) OR VLAN) AND (basic ADJ service) OR "BSS")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 14:02
S94	4503	S93 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 14:03
S95	130	S94 AND ((authenticat\$3 AND encrypt\$3) WITH (key OR code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 14:04
S96	35	S89 AND ((Basic adj service) adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 14:19
S97	0	S91 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 14:19
S98	2	"20050141617".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 14:58

S99	2	"20040141617".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 14:59
S100	2	"7130904".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:27
S101	29377	((authenticat\$3 AND encrypt \$3) WITH (key OR code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:30
S102	6883	S101 AND ((security OR group) NEAR5 associat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:30
S103	222	S102 AND ((virtual ADJ LAN) OR VLAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:30
S104	12	S103 AND @ad<="20011220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:31
S105	1	11/678312	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 19:14

8/ 29/ 2009 1:50:07 PM

C:\Documents and Settings\sbrooks1\My Documents\EAST\Workspaces\PAP.wsp